

**Orissa Industrial Infrastructure  
Development Corporation**

(A Government of Orissa Undertaking)  
Phones: HO :(0674) 2542784, 2540820, Fax: 2542956  
**Maintenance Divn (0674) 2586685, 2580625**  
Email: [md@idcoindia.com](mailto:md@idcoindia.com)



IDCO/MAINT/FT/E – 0074/2010-11/- 2124

Dt : 25.8.10

**QUOTATION CALL NOTICE**

The Divisional Head, Maintenance IDCO, Bhubaneswar invites sealed quotations in plain papers as per terms & conditions in Annexure – ‘B’ from IDCO Vendors / Manufacturers / Authorized Dealers / Distributors / Reputed Shop owners authorized by the Manufacturers for supply of following category of P.H, Hardware, Electrical materials of fittings, fixtures as described in the table as Annexure – ‘A’. The sealed bid’s will be received through speed post / Registered post only in the office of the undersigned up to 5.00 P.M on dated – 14.09.2010 and will be opened on the next day at 11.30 A.M in presence of the bidders or their authorized representatives if any. If the office happens to be closed on the date of receipt of the bids as specified, the bids will be received and opened on the next day of opening of the office at the same time and venue. The bidders are required to furnish an E.M.D amounting, @ 1 % of total quoted value for the category in shape of DD/pay order on any Nationalized Bank, drawn in favour of **“Orissa Industrial Infrastructure Development Corporation”** payable at Bhubaneswar failing which the bid will stand rejected. The E.M.D of successful bidders will be retained by IDCO as security for the period of supply.

## Annexure – A

**{ Category – A }**

### **P.H Fitting and Fixtures**

| Sl No.  | Description of Item                                       | Unit. | Qty. | Rate in figures | Rate in words |
|---------|---|-------|------|-----------------|---------------|
| 1       | 1/2" Urinal Spreader (Chromium Plated) heavy duty.        | Each  | 24   |                 |               |
| 2       | Bib cock spindle ( <b>JAQUAR</b> ) (heavy duty)           | Each  | 24   |                 |               |
| 3       | Slim line cistern Handle (set)                            | Each  | 48   |                 |               |
| 4       | Basin waste (heavy duty) ( <b>ESSCO/ JAQUAR</b> )         | Each  | 24   |                 |               |
| 5       | Cistern symphony set (slim line)                          | Each  | 12   |                 |               |
| 6       | Urinal dome waste ( <b>ESSCO/ JAQUAR</b> )                | Each  | 48   |                 |               |
| 7       | EWC Seat cover hinges (P.V.C)                             | Each  | 24   |                 |               |
| 8       | Pillar cock ( <b>JAQUAR</b> ) cat no. - 011               | Each  | 12   |                 |               |
| 9       | Pvc connection pipe ( 2ft.)                               | Each  | 24   |                 |               |
| 10      | CP Angular stop cock ( <b>JAQUAR</b> ) cat no. - 051      | Each  | 12   |                 |               |
| 11      | 50 mm brass ball valve ( <b>LEADER/DRPM</b> )             | Each  | 4    |                 |               |
| 12      | 3/4 " brass ball valve ( <b>LEADER/DRPM</b> )             | Each  | 12   |                 |               |
| 13      | 50 mm N.R Valve ( <b>LEADER/DRPM</b> )                    | Each  | 2    |                 |               |
| 14      | 22" x 16" wash basin (hind ware/parry ware)(white colour) | Each  | 12   |                 |               |
| 15      | EWC P Trap (hind ware/parry ware)(white colour)           | Each  | 12   |                 |               |
| 16      | EWC S Trap (hind ware/parry ware)(white colour)           | Each  | 12   |                 |               |
| 17      | Teflon Tape.  | Pc    | 48   |                 |               |
| 18      | White Zinc  | K.g   | 1    |                 |               |
| 19      | 18" C.P connection pipe                                   | Each  | 24   |                 |               |
| 20      | Urinal Waste pipe (flexible) standard quality             | Each  | 100  |                 |               |
| 21      | Syphone Washer(slim line)                                 | Each  | 48   |                 |               |
| 22      | Connection washer   | Each  | 50   |                 |               |
| 23      | Cistern Handle (slim line)                                | Each  | 60   |                 |               |
| 24      | Urinal Large (hins ware/parry ware) cat no. - 60002       | Each  | 12   |                 |               |
| 25      | 20 mm gate valve (G.M) (leader/DRPM)                      | Each  | 12   |                 |               |
| 26      | 50 mm PVC pipe 80 Shedule (supreme/finolex)               | Rft.  | 40   |                 |               |
| 27      | 50 mm G.I Union (H.B/J1)                                  | Each  | 4    |                 |               |
| 28      | 50 mm x 6" GI Short Piece                                 | Each  | 4    |                 |               |
| 29      | 20 mm G.I Elbow (H.B/J1)                                  | Each  | 12   |                 |               |
| 30      | 50 mm G.I Elbow (H.B/J1)                                  | Each  | 6    |                 |               |
| 31      | 20 mm x 6" GI Short Piece                                 | Each  | 12   |                 |               |
| 32      | 20 mm G.I Union (H.B/J1)                                  | Each  | 12   |                 |               |
| 33      | 110 mm PVC Plane bend (supreme/finolex)                   | Each  | 12   |                 |               |
| 34      | 25 / 20 mm G.I RS (H.B/J1)                                | Each  | 12   |                 |               |
| 35      | 40 mm GM Ball cock (leader/ DRPM)                         | Each  | 2    |                 |               |
| 36      | 50 / 40 mm G.I RS (H.B/J1)                                | Each  | 2    |                 |               |
| 37      | 32 / 25 RS Elbow (H.B/J1)                                 | Each  | 6    |                 |               |
| 38      | 75 mm door bend (supreme/finolex)                         | Each  | 6    |                 |               |
| 39      | 75/40 mm U PVC brush (supreme/finolex)                    | Each  | 6    |                 |               |
| TOTAL - |   |       |      |                 |               |

**{Category – B}**  
**Hardware Fitting and Fixtures**

| SI No.  | Description of Item  | Unit. | Qty. | Rate in figures | Rate in words |
|---------|--|-------|------|-----------------|---------------|
| 1       | Door Closer ( <b>GODREJ/DOOR LINK/DORMA</b> )                      | Pcs.  | 100  |                 |               |
| 2       | Door Handle (L) - <b>LINK</b>                                      | Pcs.  | 100  |                 |               |
| 3       | Door Handle (R) - <b>LINK</b>                                      | Pcs.  | 100  |                 |               |
| 4       | Aluminium Door Lock ( <b>LEADER/NYER</b> )                         | Pcs.  | 12   |                 |               |
| 5       | Door Hinzes (6") – <b>LINK</b>                                     | Pcs.  | 12   |                 |               |
| 6       | Front toilet door lock (cat no. - 1007 – bright) (L) – <b>LINK</b> | Pcs.  | 12   |                 |               |
| 7       | Service toilet door lock (cat no. - 1001 – bright) – <b>LINK</b>   | Pcs.  | 12   |                 |               |
| 8       | Steel Screw (8 no.) ( <b>G.K/NETTLE FOLD</b> )                     | Pcs.  | 100  |                 |               |
| 9       | Steel Screw (6 no.) ( <b>G.K/NETTLE FOLD</b> )                     | Pcs.  | 100  |                 |               |
| 10      | Steel Screw (10 no.) ( <b>G.K/NETTLE FOLD</b> )                    | Pcs.  | 100  |                 |               |
| 11      | Aluminum Tar bolt (4") ( <b>LINK</b> )                             | Pcs.  | 50   |                 |               |
| 12      | Aluminum Tar bolt (8") ( <b>LINK</b> )                             | Pcs.  | 50   |                 |               |
| 13      | Door Stopper (standard)  | Pcs.  | 50   |                 |               |
| TOTAL - |  |       |      |                 |               |

**{Category – C}**  
**Electrical Fitting and Fixtures**

| Sl No. | Name of the Item                      | Make                 | Rating/ Size/ Capacity /Class | Qty | Rate in figures | Rate in words |
|--------|---------------------------------------|----------------------|-------------------------------|-----|-----------------|---------------|
| 1      | PLS Lamp -Two Pin                     | Philips/Crompton/Gec | 11W                           | 600 |                 |               |
| 2      | PLS Choke                             | Philips/Crompton/Gec | 11W                           | 20  |                 |               |
| 3      | Pls Lamp Holder- Two Pin              | Philips/Crompton/Gec | 11W                           | 50  |                 |               |
| 4      | Power saver Florescent Light Fittings | Philips/Crompton/Gec | 21W                           | 200 |                 |               |
| 5      | Power saver Florescent Light Fittings | Philips/Crompton/Gec | 14W                           | 50  |                 |               |
| 6      | Metal Halide Lamp                     | Philips/Crompton/Gec | 400W                          | 10  |                 |               |
| 7      | Metal Halide Lamp                     | Philips/Crompton/Gec | 250W                          | 15  |                 |               |
| 8      | Metal Halide Choke                    | Philips/Crompton/Gec | 400W                          | 5   |                 |               |
| 9      | Metal Halide Choke                    | Philips/Crompton/Gec | 250W                          | 5   |                 |               |
| 10     | Sodium Vapour Choke                   | Philips/Crompton/Gec | 150W                          | 2   |                 |               |
| 11     | Muarcury Vapour Choke                 | Philips/Crompton/Gec | 125W                          | 2   |                 |               |
| 12     | Mercury Vapour Lamp                   | Philips/Crompton/Gec | 125W                          | 2   |                 |               |
| 13     | Sodium Vapour Lamp                    | Philips/Crompton/Gec | 150W                          | 4   |                 |               |
| 14     | Ignitor                               | Philips              | 250W-400W                     | 30  |                 |               |
| 15     | Capacitor                             | Spark/Gec            | 20mfd                         | 20  |                 |               |
| 16     | Metal Hlide Holder                    | Philips/Crompton/Gec |                               | 10  |                 |               |
| 17     | Porcelain Connector                   | Philips/Crompton/Gec | 16A                           | 100 |                 |               |
| 18     | CFL Lamp                              | Philips/Havels       | 14W                           | 20  |                 |               |
| 19     | CFL Lamp                              | Philips/Havels       | 8W                            | 20  |                 |               |
| 20     | Globe Light Cover                     |                      | Dia-5.5"                      | 20  |                 |               |
| 21     | Globe Light Holder                    | Philips/Crompton/Gec | 240V                          | 20  |                 |               |
| 22     | Capacitor                             | Universal            | 2.5mfd                        | 50  |                 |               |
| 23     | Round Cover                           | Royalam              | 3"                            | 30  |                 |               |
| 24     | Cover Plate                           | Royalam              | 7"×5"                         | 30  |                 |               |
| 25     | Cover Plate                           | Royalam              | 5"×5"                         | 30  |                 |               |
| 26     | 3 Modular Cover                       | Roma                 | 6-16A                         | 30  |                 |               |
| 27     | Copper Wire                           | Finolex -House Guard | 2.5 Sqmm                      | 2   |                 |               |
|        | <b>Total</b>                          |                      |                               |     |                 |               |

**{Category – D}****Fitting and Fixtures, Spares for Electrical Panels**

| Sl No. | Name of the Item                 | Make            | Rating/<br>Size/<br>Capacity/<br>Class | Qty | Rate in figures | Rate in words |
|--------|----------------------------------|-----------------|--|-----|-----------------|---------------|
| 1      | DP MCB                           | Legrand/L&T/ABB | 32A                                    | 20  |                 |               |
| 2      | SP MCB                           | Legrand/L&T/ABB | 10A                                    | 20  |                 |               |
| 3      | Copper Bus Bar-Neutral Connector | Legrand/L&T/ABB | 40A                                    | 10  |                 |               |
| 4      | HRC Fuse (L&T) (Flat Type)       | L&T             | 250A                                   | 50  |                 |               |
| 5      | HRC Fuse (L&T) (Flat Type)       | L&T             | 125A                                   | 20  |                 |               |
| 6      | HRC Fuse (L&T) (Round Type)      | L&T             | 63A                                    | 50  |                 |               |
| 7      | HRC Fuse (L&T) (Round Type)      | L&T             | 32A                                    | 20  |                 |               |
| 8      | HRC Fuse link Base (L&T)         | L&T             | 125A                                   | 10  |                 |               |
| 9      | HRC Fuse link Base (L&T)         | L&T             | 250A                                   | 10  |                 |               |
| 10     | Phase Indicator-Red              | L&T             | 240V                                   | 100 |                 |               |
| 11     | Phase Indicator-Yellow           | L&T             | 240V                                   | 100 |                 |               |
| 12     | Phase Indicator- Blue            | L&T             | 240V                                   | 100 |                 |               |
| 13     | Voltmeter                        | AE              | AC-0-500V,Size-9×9Sq inch              | 2   |                 |               |
| 14     | Ammeter                          | AE              | AC-0-2500A Size-9×9Sq inch             | 2   |                 |               |
| 15     | Voltmeter                        | AE              | DC-0-50V                               | 1   |                 |               |
| 16     | Ammeter                          | AE              | DC,0-20A,Size-9×9Sq inch               | 1   |                 |               |
| 17     | Voltmeter Selector switch        | L&T             | AC-440V, 4-Way                         | 4   |                 |               |
| 18     | Ammeter Selector switch          | L&T             | AC-440V, 4-Way                         | 4   |                 |               |
| 19     | Voltmeter Selector switch        | L&T             | DC-24V,4-way                           | 1   |                 |               |
| 20     | Cable Socket (Cu)                | Jainex          | 95mm                                   | 30  |                 |               |
| 21     | Cable Socket (Al)                | Jainex          | 95mm                                   | 30  |                 |               |
| 22     | Ex-Fan Loover                    |                 | As Per Sample                          | 50  |                 |               |
|        |                                  |                 |  |     | <b>Total</b>    |               |

**{Category – E}****Fitting and Fixtures, Spares for (11-0.4) K.V Sub-Station & Lightning Arrestor**

| Sl No. | Name of the Item                       | Rating/<br>Size/<br>Capacity/<br>Class | Qty     | Rate in figures | Rate in words |
|--------|--|--|---------|-----------------|---------------|
| 1      | Lightening Arrestor                    | 12 KV                                  | 3       |                 |               |
| 2      | A.B.Switch Horizontal Type             | 11KV, 600A                             | 2       |                 |               |
| 3      | G.I. saddle for earthing               | 25×3 Sqmm                              | 3000    |                 |               |
| 4      | Wall Greep                             | No-50                                  | 70Pkt   |                 |               |
| 5      | Red Enamel Paint (20 Ltrs. Pack)       | Asian/<br>Berger                       | 60 ltrs |                 |               |
| 6      | Black Enamel Paint (20 Ltrs. Pack)     | Asian/<br>Berger                       | 30 ltrs |                 |               |
| 7      | Aluminium Enamel Paint (10 Ltrs. Pack) | Asian/<br>Berger                       | 10 ltrs |                 |               |
| 8      | Gray Enamel Paint (10 Ltrs. Pack)      | Asian/<br>Berger                       | 20 ltrs |                 |               |
| 9      | Red Oxide (10 Ltrs. Pack)              | Asian/<br>Berger                       | 20 ltrs |                 |               |
| 10     | Tarpin (5 Ltrs. Pack)                  | Asian/<br>Berger                       | 10 ltrs |                 |               |
| 11     | Steel Screw                            | 0.5" (No-4)                            | 1 Pkt   |                 |               |
| 12     | Steel Screw                            | 1" (No-4)                              | 7 Pkt   |                 |               |
| 13     | Steel Screw                            | 2.5" (No-4)                            | 1pkt    |                 |               |
| 14     | Steel Screw                            | 4" (No-4)                              | 50 Nos  |                 |               |
|        |  |  |         | <b>Total</b>    |               |

# **Annexure – B**

## **Terms and Conditions**

### **Terms and Conditions:**

1. The Quotationers must have minimum turn over of Rs. 10.00 Lakhs for last 2 years. As proof copy of balance sheet of each financial year must be accompanied with quotations.
2. The quotationers are required to furnish valid PAN No. / VAT clearance certificate / TIN No. etc. & EMD as specified with the quotations, without which the tender shall be liable for rejection.
3. Quotationers requested to quote the price of individual items of any category in figure & words. Any discrepancy, rate in words shall be binding.
4. Quotationers are requested to mention the quotation no. & quoted for category mentioning on the top of the sealed envelope bearing the quotations.
5. The rate must be valid up to dt – 31.03.2011.
6. The quantity of the quotations may increase or decrease without assigning any reason.
7. The delivery of materials shall be in phased manner at least once in a month and as per requirement up to dt – 31.03.2011.
8. Materials shall be delivered by the quotationers within one week of time from the date of issue of purchase order or as specified in the supply order.
9. Sealed quotations are invited for any category or all categories as described in the table above, in separate quotations for individual category.
10. Successful quotationers has to deposit @ 5 % of quotation value as security deposit in shape of D.D in favour of “ **Orissa Industrial Infrastructure Development Corporation (OIIDC)**” payable at BBSR within 2 weeks from the date of issue of letter of acceptance. The B.G may be submitted in the prescribed format issued by any nationalized bank at BBSR and must be valid up to Dt – 30.04.2011.
11. The security deposited with IDCO shall be refunded back without any interest after successful completion or execution of the work.
12. The quotations must be for specific make / size / quality as described in the table. If the same does not match to the existing fitting and fixtures shall not be accepted by IDCO.
13. If the quotationers fails to supply any materials within the stipulated period specified in the work order, the EMD with the security deposit shall be forfeited without any notice.
14. Payment shall be made as per the supply order within 10 days after successful completion of the supply and on submission of bill.
15. The quality and make of individual item of any category shall be checked by the Engineer-in-charge if found not up to the standard, shall not be accepted and has to be shifted at the cost and risk of quotationers.
16. The quotationer has to submit the guarantee / warranty of any item as specified by the manufacturer along with the supply of materials.

17. The quoted price must be inclusive of all taxes, duties delivery at Fortune Towers. No extra cost will be borne by IDCO on any account.
18. IDCO reserves the right to reject or accept any or all the quotations without assigning any reason thereof.
19. The quotationers are requested to mention the quotation call notice no., full address & telephone no. / contact no. etc on the body of sealed envelope. Inadequate information on the body of sealed envelope will be liable for rejection.
- 20. Postal Address for submission of quotations :**

To,  
The Divisional Head (Maint.), IDCO,  
Industrial Estate Mancheswar,  
Shed No. – 145,  
Rasulgarh, Bhubaneswar,  
Pin – 751010.

**Divisional Head (Maint.)**  
IDCO, Bhubaneswar.

Memo No. \_\_\_\_\_ / Dt. \_\_\_\_\_ /  
Copy submitted to CGM (Civil)/ CGM (P&C)/ CGM (Finance), IDCO, IDCO Towers,  
Bhubaneswar for favour of kind information.

**Divisional Head (Maint.)**  
IDCO, Bhubaneswar.

Memo No. \_\_\_\_\_ / Dt. \_\_\_\_\_ /  
Copy submitted to D.H, BCD-I / BCD-II / Water Supply & EC / Electrical / G.A, Qrters /  
Ekamra Haat / C.E.T / IIT of IDCO, with a request to display it in the notice board for  
wide response.

**Divisional Head (Maint.)**  
IDCO, Bhubaneswar.

Memo No. \_\_\_\_\_ / Dt. \_\_\_\_\_ /  
Copy submitted to Dy. Manager (Civil), / Accounts Section / Notice Board, Division  
office of Maintenance Division, IDCO, Bhubaneswar.

**Divisional Head (Maint.)**  
IDCO, Bhubaneswar.

Memo No. \_\_\_\_\_ / Dt. \_\_\_\_\_ /  
Copy submitted to Manager, P&A, PR Cell / DGM (MIS), IDCO for information and  
necessary action. Manager PR Cell is requested to publish the shorter version of the  
notice (copy enclosed) in two Oriya daily. DGM (MIS) is requested to publish the detail  
tender call notice in IDCO web site for wide circulation, soft copy enclosed.

**Divisional Head (Maint.)**  
IDCO, Bhubaneswar.

*idco*

**Your power to grow**

ISO 9001 & 14001 CORPORATION

**QUOTATION OF MATERIALS  
FOR MAINTENANCE OF  
FORTUNE TOWERS, BHUBANESWAR.**

IDCO/MAINT/FT/E-0074/2010-11/-2124

Date :25.8.2010

Sealed quotations are invited by Divisional Head, IDCO, Maintenance Division, Bhubaneswar from IDCO Vendors/Manufacturers/Authorized Dealers/Distributors/Reputed Shop Owners for supply of P.H, Hardware, Electrical fittings and fixtures for maintenance of Fortune Towers, Bhubaneswar. The Offers must reach the Divisional Head (Maint.), IDCO, Shed No. 145, Industrial Estate, Mancheswar, Bhubaneswar-751010 on or before **14.09.2010** through Registered/Speed Post only. For further details, please see our website [www.idco.in](http://www.idco.in).

The Corporation reserves the right to reject any or all the quotations without assigning any reason thereof.

Divisional Head (Maint.)